



Heavy Duty Inground Barrier – LPC38 & LPC48 model – Ideal for high traffic areas for Military and Industrial Security

Controls vehicle traffic allowing travel in one direction only
Counterbalanced blades with manual lockdown feature-locks blades down
Low profile (imbedded in the road)

STRUCTURE

- Barrier available in sections 38 inches (1 meter) or 48" (1.3m) long
- Heavy-duty plate steel cover plate .375 (3/8)" standard
- Durable polyurethane coating on cover plate (black color standard, others available)
- Tamper-resistant fasteners available
- Low maintenance No springs required. 40 Ton capacity
- Shock-absorbing design with rubber bumpers and sound dampening

BARRIER BLADES

- Adjustable blade heights from 2.5" to 4" (6.5cm to 10cm standard)
- Sharpened steel blades .375 (3/8)" thickness standard
- Yellow blades – high durability SAFETY YELLOW coating (stainless steel blades available)
- High visibility 3M yellow reflective "Night Bright" decal available

MECHANICAL


- Simple installation
- Torsion springs can be used to increase tension on blades
- Design incorporates .875 shaft (inside barrier)
- Proprietary locking mechanism allows blades to be locked in the down position ("Lockdown" feature)
- "Lockup" feature available to lock blades in the up position
- Maximum recommended speed 10 MPH

OTHER MODELS AVAILABLE

- LP38 Spring loaded model uses torsion springs with adjustable tension

SECURITY ACCESSORIES

- Full range of Signs, lights, barrier arms



Road Shark International Inc.

Unit 321, 1-1596 Regent Av W, Winnipeg, Manitoba R2C4H4 Canada
Phone: 204.782.9407 Fax: 204.224.1217 Email: team@roadshark.com www.roadshark.com